## **Dealer Guide**

- Retail security gate solutions
- •Industrial security gate solutions
- •Institutional security gate solutions
- Access control security gate solutions





















## **Storefront Security Gates**

Our tubular steel security gates are strong and decorative, so they'll stop break-ins while continuing to provide a welcoming appearance to customers. All of our gates and folding window security grills come in a hard shell, high-gloss baked epoxy coating that is made to last. When not in use, our security gates can be neatly folded away to 15% their full size.







# Protecting warehouses and manufacturing Facilities

# SAFE AND SECURE VENTILATION. HIGHLY VISIBLE POWDER COATED YELLOW SEURITY GATES HELP PREVENT FALLS AND PROVIDE SECURITY AGAINST UNWANTED INTRUDERS









## **Secure Shipping Areas**

Protect shipping receiving areas with Xpanda tubular steel folding gates. Fixed mounted or completely mobile.

All our products are powder coated finish, Safety Yellow, White Gray or Black Quick delivery & Simple to install.











## **Man Door Security Gates**

## Double Diamond Security Gates provide maximum protection for man doors and emergency exits

The Xpanda Double Diamond Heavy Duty Retractable Door Gate is designed to secure emergency exit doors inside the rear of retail stores, manufacturing and warehouses.

Due to the fact that thieves can easily go unnoticed outside the back entry doors. Many facilities, exit doors tend to be more vulnerable to break-ins. Thieves have all the time in the world to "work their magic" on doors and locks in order to gain entry.



Double diamond webbing and the L206 locking post prevent the hands from accessing the thumb-turn when the security gate is in the locked position.



## **Racking Security Gates**

Internal theft, is shrinkage companies cannot afford.



The goal is to make it significantly more difficult for valuable and sensitive inventory or merchandise from been stolen off the racking system.


Easy to use diamond pattern scissor gates with slam locks provide key control and access control as well as a visual, to help reduce shrinkage







## **Xpanda Gate Details**





## **Technical Specifications**

#### **Technical Specifications**

All steel used in our products is Carbon Controlled by ISO 9002 Standards

#### Lattice

½" x ½" Tubular steel cold rolled sections, with a carbon content on 0.60% to ensure maximum strength world wide

#### Channels

Steel sections hot rolled into U- channels with a carbon content of 0.10% for superior strength.

#### **Rivets**

Aluminum alloy with a 3.5% manganese content for maximum strength.

#### **Fittings**

All moving parts and components are made from glass filled Nylon 6.

#### **Finish**

Products are polyester coated using top quality powder with UV resistant capability. The electrostatic process is use to ensure consistent coverage.

#### Warranty

24 months against defective materials & workmanship



## Size and order sheet

#### www.xpandasecuritygates.com

#### 1-800-835-0214

Code   Size   WHITE   GRAY   BLACK   YEL	Gates							Parts					
SD20D   S1" X 79"	Code	Size	WHITE	GRAY	BLACK	YEL		Code	Description	WHITE	GRAY	BLACK	YEL
SD20F   63" X 79"	SD20C	45" X 79"						205	Slam lock				
SD20H   77" X 79"	SD20D	51" X 79"						205A	Pad Lock				
SD20K   96" X 79"	SD20F	63" X 79"						205B	Lock Body				
SD20L   112" X 79"	SD20H	77" X 79"						205C	Key Blanks				
SD20L   124" X 79"	SD20K	96" X 79"						L 206	Locking post				
SD25C   45" X 98"   S18   80" post   S18A   98" Post   S18A   98" Post   S18C   S18A   98" Post   S18C	SD20L	112" X 79"						L207	Dbl/Pin Locking post				
SD25D   51" X 98"   SD25F   63" X 98"   SD25F   63" X 98"   SD25H   77" X 98"   SB25H   77" X 98"   SB25K   96" X 98"   SB4D   Heavy Duty Swivel Caster   SB4D   Heavy Duty Swivel Caster   SD20L   112" X 98"   SD20M   124" X 98"   SD20M   124" X 98"   SD20M   124" X 98"   SD20M   SD20	SD20L	124" X 79"						L208	98" dbl hook lock post				
SD25D   51" X 98"   SD25F   63" X 98"   SD25F   63" X 98"   SD25H   77" X 98"   SB25H   77" X 98"   SB25K   96" X 98"   SB4D   Heavy Duty Swivel Caster   SB4D   Heavy Duty Swivel Caster   SD20L   112" X 98"   SD20M   124" X 98"   SD20M   124" X 98"   SD20M   124" X 98"   SD20M   SD20													
SD25F   63" X 98"   SD25H   77" X 98"   S8   Swivel caster   S8HD   Heavy Duty Swivel Caster   S8HD   Heavy Duty Swivel Caster   S9D20L   112" X 98"   S10   U Channel 98" long   S19   Short Feet   S20   Long Feet   S20   Long Feet   S20   Long Feet   S20   Shoot Bolt   S205bb   backer bracket   S26   3" Stand Off   S205bb   S26A   6" Stand Off   S26A   6" Stand Off   S26A   6" Stand Off   S38" X 33"   S31   Steel Handle   S35   "T" Bracket   S36A   DBL " U " Bracket   S36A   S36   S36   S36   S36   S36A   DBL " U " Bracket   S36	SD25C	45" X 98"					1	S18	80" post				
SD25H   77" X 98"   S8	SD25D	51" X 98"						S18A	98" Post				
SD25K   96" X 98"   SBHD   Heavy Duty Swivel Caster   SD20L   112" X 98"   SD20M   124" X 98"   SD20M   124" X 98"   SD20M   SD20M   124" X 98"   SD20M   SD	SD25F	63" X 98"						S18C	120 "custom height post				
SD20L   112" X 98"   S10	SD25H	77" X 98"						S8	swivel caster				
SD20M   124" X 98"   S19   Short Feet   S20   Long Feet   S20   Shoot Bolt   S205bb   backer bracket   S26   3" Stand Off   S26A   6" Stand Off   S26A   S38" X 39"   S31   Steel Handle   S35   "T" Bracket   S35   "T" Bracket   S36   "U" Bracket   S36A   DBL "U" Bracket	SD25K	96" X 98"						S8HD	Heavy Duty Swivel Caster				
Double Diamond   S20	SD20L							S10	U Channel 98" long				
Double Diamond   S25   Shoot Bolt   S205bb   backer bracket   S205bb   backer bracket   S26   3" Stand Off   S26   3" Stand Off   S26A   6" Stand Off   S26A   6" Stand Off   S26A   6" Stand Off   S26A   6" Stand Off   S26A   S38" X 39"   S31   Steel Handle   S35   "T" Bracket   S35   "T" Bracket   S36   "U " Bracket   S36A   DBL " U " Bracke	SD20M	124" X 98"						S19	Short Feet				
SD20DD       37" X 76"         SWB       38" X 33"         SWC       50" X 33"         SWE       38" X 39"         SWF       50" X 39"         SWH       38" X 45"         SWI       50" X 45"         SWK       38" X 51"         SWK       38" X 51"         SWN       38" X 57"         SWN       38" X 57"         SWN       38" X 57"         SWD       50" X 57"         SWP       58" X 57"         SWR       39" X 66"         SWS       50" X 66"								S20	Long Feet				
SWB       38" X 33"       S26A       6" Stand Off         SWC       50" X 33"       Steel Handle         SWE       38" X 39"       S31       Steel Handle         SWF       50" X 39"       S35       "T" Bracket         SWH       38" X 45"       S36       "U" Bracket         SWK       38" X 51"       S36A       DBL "U" Bracket         SWK       38" X 51"       A13       Aluminum Top Track pr ft         SWN       38" X 57"       A13H       4 - wheel carriage for A13         SWO       50" X 57"       S82       Sq. End Plugs         SWP       58" X 57"       MT1       Portable Trolley         SWR       39" X 66"       SWS       50" X 66"	Double Diamond							S25	Shoot Bolt				
SWB       38" X 33"       S26A       6" Stand Off         SWC       50" X 33"       S31       Steel Handle         SWF       50" X 39"       S35       "T" Bracket         SWH       38" X 45"       S36       "U" Bracket         SWI       50" X 45"       S36A       DBL "U" Bracket         SWK       38" X 51"       A13       Aluminum Top Track pr ft         SWN       38" X 57"       A13H       4 - wheel carriage for A13         SWO       50" X 57"       S82       Sq. End Plugs         SWP       58" X 57"       MT1       Portable Trolley         SWR       39" X 66"       SWS       50"X 66"	SD20DD	37" X 76"					1	S205bb	backer bracket				
SWC       50" X 33"         SWE       38" X 39"         SWF       50" X 39"         SWH       38" X 45"         SWI       50" X 45"         SWK       38" X 51"         SWL       50" X 51"         SWN       38" X 57"         SWO       50" X 57"         SWP       58" X 57"         SWR       39" X 66"         SWS       50" X 66"								S26	3" Stand Off				
SWE       38" X 39"         SWF       50" X 39"         SWH       38" X 45"         SWI       50" X 45"         SWI       50" X 45"         SWL       50" X 51"         SWL       50" X 51"         SWN       38" X 57"         SWO       50" X 57"         SWP       58" X 57"         SWR       39" X 66"         SWS       50" X 66"	SWB	38" X 33"					1	S26A	6" Stand Off				
SWF       50" X 39"         SWH       38" X 45"         SWI       50" X 45"         SWK       38" X 51"         SWL       50" X 51"         SWN       38" X 57"         A13       Aluminum Top Track pr ft         A13H       4 - wheel carriage for A13         SWO       50" X 57"         SWP       58" X 57"         SWR       39" X 66"         SWS       50" X 66"	SWC	50" X 33"					1						
SWH       38" X 45"       \$36       " U " Bracket       \$36A       DBL " U " Bracket         SWK       38" X 51"       \$36A       DBL " U " Bracket       \$36A       DBL " U " Bracket         SWK       38" X 51"       \$36A       DBL " U " Bracket       \$36B       \$36B<	SWE	38" X 39"					1	S31	Steel Handle				
SWI       50" X 45"         SWK       38" X 51"         SWL       50" X 51"         SWN       38" X 57"         SWO       50" X 57"         SWP       58" X 57"         SWR       39" X 66"         SWS       50" X 66"     SBL " U " Bracket  A13  Aluminum Top Track pr ft  A13H  4 - wheel carriage for A13  SR2  Sq. End Plugs  MT1  Portable Trolley  SWR  SWS  50 "X 66"  SWS  50 "X 66"  SWS  50 "X 66"  SWS  TO SUBLET U " Bracket  A13  Aluminum Top Track pr ft  A13H  A13H  A13H  A14H  A15H  A15H  A15H  A16H  A17H  A17H  A17H  A18H  A18H  A18H  A19H	SWF	50" X 39"						S35	"T" Bracket				
SWK       38" X 51"         SWL       50" X 51"         SWN       38" X 57"         SWO       50" X 57"         SWP       58" X 57"         SWR       39" X 66"         SWS       50" X 66"	SWH	38" X 45"						S36	" U " Bracket				
SWL       50" X 51"         SWN       38" X 57"         A13H       4 - wheel carriage for A13         SWO       50" X 57"         SWP       58" X 57"         SWR       39" X 66"         SWS       50 "X 66"	SWI	50" X 45"						S36A	DBL " U " Bracket				
SWN       38" X 57"         SWO       50" X 57"         SWP       58" X 57"         SWR       39" X 66"         SWS       50 "X 66"	SWK	38" X 51"											
SWO         50" X 57"         S82         Sq. End Plugs           SWP         58" X 57"         MT1         Portable Trolley           SWR         39" X 66"         SWS         50 "X 66"	SWL	50" X 51"						A13	Aluminum Top Track pr ft				
SWP         58" X 57"         MT1         Portable Trolley           SWR         39" X 66"         9         9           SWS         50 "X 66"         9         9	SWN	38" X 57"						A13H	4 - wheel carriage for A13				
SWR 39" X 66" SWS 50 "X 66"	swo	50" X 57"						582	Sq. End Plugs				
SWS 50 "X 66"	SWP	58" X 57"						MT1	Portable Trolley				
	SWR	39" X 66"											
CMT FOIL A COLUMN TO THE COLUM	SWS	50 "X 66"											
300 100	SWT	58" X 66"											

**NOTES** 






## **Mobile-Portable Access Control**

Mobile or portable scissor style gates are powder coated steel tubing, that are riveted back to back and are attached to end channels, and expands when opened and closed. The folding gates are mounted to 22" steel base trolley with two heavy duty casters for stable and ease of mobility.

No restrictions or limitations to the span that these mobile units can secure. Small individual portable units can open from 14" to 120", each unit can be easily joined together to unlimited lengths. Slam Locks or I206 locking posts may be used to separate the units from each other to allow for access as well as ease of mobility and storage.











## Want To Become a Dealer

If you are looking to expand your product line and services, talk to us.

We offer quality products exceptional service.

Or are you interested to do installation work for us?

Call us today to discuss our dealer and installation opportunities.

1-800-835-0214

